


FIRE SHUTTER



The WindowHalt Fire Shutter was designed and engineered as a medium span fire shutter solution to meet the Deemed-to-satisfy requirements of NCC Clause C3.4, providing a Fire Resistance Rating of -/60/- when tested in accordance with AS1530.4 – 2014.

The WindowHalt Fire shutter is designed to suit larger openings of up to 4 m wide and 4 m high. It can also be used for openings as small as 750mm W x 750mm H. This unit will deploy (fail safe close) on activation of its fusible link.

- 🔴 Ultra slim unobtrusive design
- Easily retrofit over existing windows
- May be used to cover multiple openings hence reducing overall costs
- Viscous governor controlled descent speed
- Powder coated to match any colour in the Dulux Duralloy range
- 1 year conditional warranty





WINDOWHALT Fire Shutter

I INTRODUCTION



Compact in design, the WindowHalt Fire shutter is designed to be unobtrusive and customised to suit your window openings!

WindowHalt can be powder coated any colour in the Dulux Duralloy range to match clients tastes and building façade. We can also arrange to have other powdercoat colours applied if desired, please contact one of our team to find out more 1300 665 471.



Smoke Control offers obligation free technical support throughout your design and documetation stage. We are

also happy to provide obligation free pricing so that you can accurately prepare your budgets

We have also prepared a complete kit for your documentation requirements. Simply download from our web site a complete set of specifications and drawings. If you would like our drawings in DWG format, simply give our technical department a call or email your request.

FUNCTION

SYSTEM OPERATION

This unit will deploy (fail safe close) on activation of its fusible link. The fusible link is located in the general air flow as required by AS1905.2. For applications requiring a fusible link on both sides of the opening, please clearly specify this in the Performance Solution as this is a non-standard option and will require the electronic functions of Fyrehalt.

INSTALLATION

In line with Smoke Control's mission to provide customers with reliable solutions, the Windowshield Fire Shutter system is installed by our fully trained and approved installer network.






MAINTENANCE

As with all essential services, Windowhalt should be maintained in strict accordance with our documented procedures by fully trained and competent technicians. Operational tests alone are not considered adequate and when conducted by inexperienced personnel, may lead to damage of the product. Smoke Control offers a comprehensive preventative maintenance program which has proven costs savings over the life of the product.

Please contact our maintenance department for details on 1300 665 471.

WINDOWHALT Fire Shutter


PRODUCT DIMENSIONS





Typical head box section





Typical side guide section

GENERAL INFORMATION

I TECHNICAL SUPPORT

Smoke Control offers obligation free technical support and pricing throughout your design and documentation stage so you can accurately prepare your budgets through value engineering.

You can also download the set of specifications, drawings and technical data from our website www.smokecontrol.com.au.

Contact our technical department to discuss your project requirements, or feel free to arrange a meeting.

Australia 1300 655 471

International +61 2 96814000

New Zealand +64 9 300 1981



A LITTLE MORE ABOUT US...

Smoke Control was established in 2003. We partner with leading local and international organisations to work with the new performancebased design environment - in addition to the traditional prescriptive environment - designing and installing systems to meet the challenging fire and smoke control demands of modern buildings.

Constant research and development continue to enhance our offering of fire windows, fire shutters and fire & smoke curtains, bringing the most innovative technology to both regular and unique project challenges. If you cannot find what you are looking for, please contact our team as we may already have a solution for you.

Smoke Control services all regions in Australia and New Zealand via our own offices and people. International customers can contact our Australian office by phone or email for your nearest distributor.





